

910 COAXIAL CABLES

COAXIAL 6,8 MM, 17 DB/100M 800 MHZ, 100M



Code : **910063**

Model : **CE-150**

Description

Coaxial cable with physically expanded dielectric and copper insulation. Flame-retardant. Conforms to norm EN 50117.

Applications

Used to transmit the TV signal on the terrestrial band or on the IF satellite band.

Characteristics

Supplied in coils of 100 m and packed in a carton box.

| CÓDIGO-CODE-CODE | | 910064 | 910063 |
|--|------|------------------------------|------------------------|
| MODELO-MODEL-MODÈLE | | CE-140 | CE-150 |
| Conductor interno Internal conductor Conducteur interne | Mat | CU | |
| | mmø | 1.13 | |
| Dieléctrico Dielectric Dielectrique | Mat | PEE físico/physical/physique | |
| | mmø | 4.80 | |
| Blindaje Shielding Blindage | Mat | CU/PET+BOPP | |
| Malla Mesh Tresse | Mat | CU | |
| Cubierta Cover Gaine | Mat | PE negro/black/noir | PVC blanco/white/blanc |
| | mmø | 6.80 | |
| Atenuación/100m Attenuation / 100m Atténuation/100m | dB | 50 MHz | 3.3 |
| | | 470 MHz | 12.9 |
| | | 862 MHz | 17.8 |
| | | 2150 MHz | 29.6 |
| Pérdidas de retorno Return loss Pertes de retour | dB | 5-470 MHz | >26 |
| | | 470-2150 MHz | >24 |
| Resistencia a corriente contin. Resistance to DC current Resistance au courant continu | Ω/Km | 34 | |
| Radio mínimo de curvatura Minimum bending radius Rayon minimum de courbure | mm | 35 | |
| Impedancia característica Characteristic impedance Impédance caractéristique | Ω | 75 ±3 | |
| Unidades embalaje Units per packing Unités par emballage | | 100 | |
| Peso Packing weight Poids emballage | Kg | 4.57 | |
| Dimensiones embalaje Packing dimensions Dimensions emballage | mm | 310 x 310 x 90 | |

CU - Cobre
AL - Aluminio

PL - Poliéster
PEE - Polietileno expandido

PVC - Policloruro de vinilo
PE - Polietileno

CCA -Aluminio cobreado
CCS -Acero cobreado

BOPP - Polipropileno biorientado
PET - Tereftalato de polietileno

| CÓDIGO CODE CODE | MODELO MODEL MODÈLE | CLASE DE APANTALLAMIENTO SHIELDING CLASS BLINDAGE CLASSE | EUROCLASE REACTION TO FIRE CPR EUROCLASSE |
|------------------------|---------------------------|--|---|
| 9100021 | CE-753 | A | Eca |
| 9100056 | CE-743 | | |
| 9100058 | CE-754 | B | |
| 9100068 | CE-763 | A | Dca s1,d0,a1 |
| 9100074 | CE-764 | | |
| 9100064 | CE-140 | | |
| 9100063 | CE-150 | | |
| 9100060 | CE-860 | | |
| 9100057 | CL-201 | | |
| | | | |