

909

FILTRO DE RECHAZO
REJECTION FILTER
FILTRE DE REJET




CÓDIGO-CODE-CODE		9090101	9090049	9090041
MODELO-MODEL-MODELE		RB-509	RB-709	RB-609
Número de entradas/salidas Number of inputs/outputs Nombre d'entrées/sorties		1/1		
Rango de frecuencia Frequency range Gamme de fréquences	MHz	0-774	0-782	0-790
Atenuación de inserción Insertion loss Atténuation d'insertion	dB ± TOL	1 ± 0,2		
Rechazo banda LTE 791-862 MHz LTE band rejection 791-862 MHz Rejection bande LTE 791-862 MHz	dB	60		
Rechazo banda GSM-TETRA 870-960 MHz GSM-TETRA band rejection 870-960 MHz Rejection bande GSM-TETRA 870-960 MHz	dB	60		
Paso de corriente DC path	V---	+24 (max)		
Passage d'alimentation	mA	300 (max)		
Temperatura de funcionamiento Operating temperature Température de fonctionnement	°C	-10..+65		
Índice de protección Protection index Indice de protection		IP 53		

Data published in compliance with the definitions and measurement methods of the following standards: EN 50083-3, EN 50083-4 and EN 50083-5

FILTRO RB-509/RB-609/RB-709

RB-509/RB-609/709 FILTER

FILTRE RB-509/RB-609/709




CÓDIGO-CODE-CODE		9090102	9090050	9090042
MODELO-MODEL-MODELE		RB-519	RB-719	RB-619
Número de entradas/salidas Number of inputs/outputs Nombre d'entrées/sorties		1/1		
Rango de frecuencia Frequency range Gamme de fréquences	MHz	0-774	0-782	0-790
Atenuación de inserción Insertion loss Atténuation d'insertion	dB ± TOL	1 ± 0,2		
Rechazo banda LTE 791-862 MHz LTE band rejection 791-862 MHz Rejection bande LTE 791-862 MHz	dB	60		
Rechazo banda GSM-TETRA 870-960 MHz GSM-TETRA band rejection 870-960 MHz Rejection bande GSM-TETRA 870-960 MHz	dB	60		
Paso de corriente DC path	V $\cdots$	+24 (max)		
Passage d'alimentation	mA	300 (max)		
Temperatura de funcionamiento Operating temperature Température de fonctionnement	°C	-10..+65		
Índice de protección Protection index Indice de protection		IP 53		

Data published in compliance with the definitions and measurement methods of the following standards: EN 50083-3, EN 50083-4 and EN 50083-5


FILTRO RB-519/RB-619/RB-719

RB-519/RB-619/RB-719 FILTER


FILTRE RB-519/RB-619/RB-719



ESQUEMA TÍPICO
CONNECTION DIAGRAM
SCHEMA DE CONNEXION



RESPUESTA EN FRECUENCIA DEL FILTRO
FREQUENCY RESPONSE OF THE FILTER
REPOSE EN FREQUENCE DU FILTRE



Especificaciones sujetas a modificación sin previo aviso
Specifications subject to modifications without prior notice
Les spécifications sont soumises à de possible modifications sans avis préalable

Cod. 2639250 - Rev. 02